

Declaration of Performance for the construction product



StoSilent Board 100

Unique identification code of the product-type PROD3044 StoSilent Board 100
Ceiling membrane of suspended ceiling
See the container imprint for the batch number.

Intended use/es Inside of buildings

Manufacturer Sto SE & Co. KGaA, Ehrenbachstr. 1, D-79780 Stühlingen

System/s of AVCP System 3 (reaction to fire)
System 3 (applies to all other "Essential characteristics" in the table)

Harmonised standard EN 13964:2014

Notified body/ies IBS Linz 1322

European Assessment Document Not relevant

European Technical Assessment Not relevant

Technical Assessment Body Not relevant

Appropriate Technical Documentation and/or Specific Technical Documentation Not relevant

Declared performance/s

Essential characteristics	Performance	AVCP system	Harmonised technical specification
Reaction to fire	A2-s1, d0 StoSilent Distance A2 system	System 3	EN 13964:2014
Sound absorption coefficient α_w	See test report M 100 960/21 from 30 June 2016 Müller BBM, See test report M 35 120/112 from 23 September 2011 Müller BBM		EN 13964:2014
Release of dangerous substances	no release of asbestos and formaldehyde		EN 13964:2014

NPD = no performance determined

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



30.04.2019
Sto SE & Co. KGaA D-79780 Stühlingen

Francisco Ramos / Head of Business Fields Facade and Interiors

Attachment: Safety Data Sheet

The current valid version of the declaration of performance is available at www.sto.com/ce.



Sto SE & Co. KGaA

Ehrenbachstraße 1

D-79780 Stühlingen

01-0245-2

16

1322

PROD3044 StoSilent Board 100
EN 13964:2014 Ceiling membrane of suspended ceiling

Inside of buildings

Reaction to fire	A2-s1, d0 StoSilent Distance A2 system
Sound absorption coefficient α_w	See test report M 100 960/21 from 30 June 2016 Müller BBM, See test report M 35 120/112 from 23 September 2011 Müller BBM
Release of dangerous substances	no release of asbestos and formaldehyde