

# Declaration of Performance for the construction product



## StoSilent Board 110

**Unique identification code of the product-type** PROD3042 StoSilent Board 110  
Ceiling membrane of suspended ceiling  
*See the container imprint for the batch number.*

**Intended use/es** Inside of buildings

**Manufacturer** Sto SE & Co. KGaA, Ehrenbachstr. 1, D-79780 Stühlingen

**System/s of AVCP** System 3 (reaction to fire)  
System 3 (applies to all other "Essential characteristics" in the table)

**Harmonised standard** EN 13964:2014

**Notified body/ies** IBS Linz 1322

**European Assessment Document** Not relevant

**European Technical Assessment** Not relevant

**Technical Assessment Body** Not relevant

**Appropriate Technical Documentation and/or Specific Technical Documentation** Not relevant

### Declared performance/s

Essential characteristics	Performance	AVCP system	Harmonised technical specification
Reaction to fire	A2-s1, d0 StoSilent Distance A2 system	System 3	EN 13964:2014
Sound absorption coefficient $\alpha_w$	See test report M 35 120/81 from 23 April 2014 Müller BBM, See test report M 35 120/101 from 15 November 2012 Müller BBM		EN 13964:2014
Release of dangerous substances	no release of asbestos and formaldehyde		EN 13964:2014

*NPD = no performance determined*

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



30.04.2019  
Sto SE & Co. KGaA D-79780 Stühlingen

Francisco Ramos / Head of Business Fields Facade and Interiors

Attachment: Safety Data Sheet

The current valid version of the declaration of performance is available at [www.sto.com/ce](http://www.sto.com/ce).



Sto SE & Co. KGaA

Ehrenbachstraße 1

D-79780 Stühlingen

01-0259-2

16

1322

**PROD3042 StoSilent Board 110**  
**EN 13964:2014 Ceiling membrane of suspended ceiling**

Inside of buildings

Reaction to fire	A2-s1, d0 StoSilent Distance A2 system
Sound absorption coefficient $\alpha_w$	See test report M 35 120/81 from 23 April 2014 Müller BBM, See test report M 35 120/101 from 15 November 2012 Müller BBM
Release of dangerous substances	no release of asbestos and formaldehyde